

Cataplex® B₁₂

1325

Please Copy for Your Patients

Cataplex B₁₂ Contains Vitamin B₁₂, Calcium, Porcine Stomach Parenchyma, Ascorbic Acid, and Carrot Root to Help Maintain Healthy Nervous, Hematological, Skeletal, and Cellular Functions

Cataplex B₁₂ helps maintain healthy nervous, hematological, skeletal, and cellular functions. The vitamin B₁₂, carrot root, and calcium found in this product help maintain healthy red blood cell function, normal nerve-tissue synthesis, and other cellular functions. Porcine stomach parenchyma contains intrinsic factor, a substance which helps the body absorb cyanocobalamin (vitamin B₁₂).

Cyanocobalamin is an essential nutrient involved in metabolizing proteins, fats, and carbohydrates. It is also necessary for normal metabolism of nerve tissue and folic acid metabolism. Carrot root provides beta carotene and several other antioxidants to help protect cells from the effects of free radicals.†

How Cataplex B₁₂ Keeps You Healthy

Supports healthy red blood cell production

Cataplex B₁₂ can help support red blood cell growth by providing adequate levels of vitamin B₁₂, which helps red blood cells to mature.†

Supports healthy nervous and skeletal system function

Vitamin B₁₂ helps maintain healthy nerve growth and development by supporting the fatty tissues that envelop and protect nerve endings. Vitamin B₁₂ is connected to the production of neurotransmitters that enhance memory and learning. Vitamin B₁₂ also has been used to help support healthy bones. Cataplex B₁₂ contains dicalcium phosphate. The calcium and phosphorus in this compound are important to the healthy formation and maintenance of bones, gums, and teeth.†

Promotes healthy cellular function

Cataplex B₁₂ contains vitamins, minerals, and nutrients that work in concert to protect cellular processes from environmental stress. Carrot root contains vitamins B₁₂ and C, plus provitamin A. This natural source of vitamins and antioxidants helps protect the cells of the body from oxidation caused by free radicals. Vitamin B₁₂ helps facilitate endocrine function and plays an important role in folic acid metabolism. Vitamin B₁₂ contains cobalt and phosphorus, two minerals that are important in cellular function.†



Introduced in:

1950

Content:

90 Tablets

Supplement Facts:

Serving Size: 1 tablet
Servings per Container: 90

		%DV
Calories	2	
Vitamin B ₁₂	6 mcg	100%

Cataplex® B₁₂ 1325



800-558-8740 • www.standardprocess.com

† These statements have not been evaluated by the Food & Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Cataplex® B₁₂

What Makes Cataplex B₁₂ Unique

Unique Product Attributes

Ingredients are derived from whole-food sources

- Porcine stomach parenchyma contains intrinsic factor which promotes the healthy absorption of cyanocobalamin (vitamin B₁₂)†

Multiple nutrients from a variety of plant and animal sources

- Porcine stomach parenchyma and carrot root provide naturally-occurring intrinsic factor, vitamins, and minerals†

Certified Organic Farming

A healthy ecosystem is created by using organic farming techniques, such as rotating crops, fertilizing the soil with nutrient-rich cover crops and by-products from our processing, practicing strict weed control standards, and continually monitoring the health of our plants

- Assures the soil is laden with minerals and nutrients
- Ensures plants are nutritionally complete and free from synthetic pesticides

Unique Processing

Upon harvesting, nutrient-rich plants are immediately washed and promptly processed

- Preserves nutritional integrity

Exclusive low-temperature, high-vacuum drying technique

- Preserves the enzymatic vitality and nutritional potential of ingredients

Not disassociated into isolated components

- The nutrients in Cataplex B₁₂ are processed to remain intact, complete nutritional compounds

Degreed microbiologists and chemists in our on-site laboratories constantly conduct bacterial and analytical tests on raw materials, product batches, and finished products

- Ensures consistent quality and safety

Vitamin and mineral analyses validate product content and specifications

- Assures high-quality essential nutrients are delivered

Whole Food Philosophy

Dr. Lee challenged common scientific beliefs by choosing a holistic approach of providing nutrients through whole foods. His goal was to provide nutrients as they are found in nature—in a whole food state where he believed their natural potency and efficacy would be realized. Dr. Lee believed that when nutrients remain intact and are not split from their natural associated synergists—known and unknown—bioactivity is markedly enhanced over synthetic nutrients. Following this philosophy, even a small amount of a whole food concentrate will offer enhanced nutritional support, compared to a synthetic or fractionated vitamin. Therefore, one should examine the source of nutrients rather than looking at the quantities of individual nutrients on product labels.

Proprietary Blend: Carrot (root), bovine liver, calcium lactate, porcine stomach parenchyma, bovine spleen, ovine spleen, bovine adrenal Cytosol™ extract, dicalcium phosphate, oat flour, and ascorbic acid.

Other Ingredients: Cellulose, honey, and cyanocobalamin.

Suggested Use: One tablet per day, or as directed.

Sold to health care professionals.

Studies on nutrients generally use large doses and these studies, some of which are cited below, are the basis for much of the information we provide you in this publication about whole food ingredients. See the **supplement facts for Cataplex® B₁₂**.

Altay C., Cetin M. 1999. Vitamin B₁₂ absorption test and oral treatment in 14 children with selective vitamin B₁₂ malabsorption. *Pediatric Hematology Oncology* 16(2): 159-163.

Anderson L.E. 1998. *Mosby's Medical, Nursing, & Allied Health Dictionary*. 5th ed. St. Louis, MO: Mosby: 431.

Balch J.E., Balch P.A. 1997. *Prescription for Nutritional Healing*. 2nd ed. Garden City Park, NY: Avery Publishing Group: 16.

Berdanier C.D. 1995. *Advanced Nutrition Micronutrients*. Boca Raton, Florida: CRC Press: 119-123.

Brolin R.E., et al. 1998. Are vitamin B₁₂ and folate deficiency clinically important after roux-en-Y gastric bypass? *Journal of Gastrointestinal Surgery* 2(5): 436-442.

Chengxing Brand Phosphoric Acid Dicalcium Phosphate. Online. 24 Mar 2000.

Coffee C.J. 1998. *Metabolism*. 1st ed. Madison, CT: Fence Creek Publishing: 349-369.

Desobry S.A., et al. 1998. Preservation of beta-carotene from carrots, review. *Crit Rev Food Sci Nutr* 38(5): 381-396.

Duke J. USDA - ARS - NGR. Phytochemical and Ethnobotanical database. Beltsville, MD: Beltsville Agricultural Research Center. Online. 8 Feb 2000.

Evers A.M., et al. 1997. Soil forming and plant density effects on carrot yield and internal quality. *Plant Foods Hum Nutr* 51(4): 283-294.

Feed: Minerals. Encyclopedia Britannica. Online. 24 Mar 2000.

Ghosh K., et al. 1988. Megakaryocytic thrombocytopenia of nutritional vitamin B₁₂ deficiency. *Trop Geogr Med* 40(2): 158-160.

Guedon C., et al. 1996. Does chronic supplementation of the diet with dietary fiber extracted from pea or carrot affect colonic motility in man? *Br J Nutr* 76: 51-61.

Guyton A.C., Hall J.E. 1997. *Human Physiology and Mechanisms of Disease*. 6th ed. Philadelphia, PA: W.B. Saunders Company: 589.

Hanley W.B., et al. 1996. Vitamin B₁₂ deficiency in adolescents and young adults with phenylketonuria. *European Journal of Pediatrics* 155(1): S145-S147.

Jacob S.W., Francone C.A., Lossow W.J. 1982. *Structure and Function in Man*. 5th ed. Philadelphia, PA: W.B. Saunders Company: 509.

Jaubault V., et al. 1998. Hemolysis and schizocytosis, malabsorption and the 'folate trap': unusual semiological peculiarities associated with vitamin B₁₂ deficiency. *Rev Med Interne* 19(12): 921-923.

Kirschmann J.D. 1979. *Nutrition Almanac*. Revised ed. New York, NY: McGraw-Hill Book Company: 27-29.

Lee C.J., Lawler G.S., Johnson G.H. 1981. Effects of supplementation of the diets with calcium and calcium-rich on bone density of elderly females with osteoporosis. *Am J Clin Nutr* 34(5): 819-823.

Pitchford P. 1993. *Healing with Whole Foods*. Revised ed. Berkeley, CA: North Atlantic Books: 90, 96-103, 109, 111, 252, 322, 347, 356, 369, 403, 479, 482, 541.

Rock C.L., et al. 1998. Bioavailability of beta-carotene is lower in raw than in processed carrots and spinach in women. *J Nutr* 128(5): 913-916.

Scott K.J., Bishop D.R. 1985. Nutrient content of milk and milk products: water soluble vitamins in baby milk formulae. *Journal of Dairy Research* 52(4): 521-528.

Sheridan P.J. *What is that stuff in my toothpaste?* <http://www.DentistryOnline.com>. Online. 24 Mar 2000.

Shils M.E., Young V.R. 1988. *Modern Nutrition in Health and Disease*. 7th ed. Philadelphia, PA: Lea & Febiger: 388-404.

Smith W., et al. 1999. Carrots, carotene and seeing in the dark. *Aust N Z J Ophthalmol* 27(3-4): 200-203.

Tver D.F., Russell P. 1989. *The Nutrition and Health Encyclopedia*. 2nd ed. New York, NY: Van Nostrand Reinhold: 123-125.

Van Wynsberghe D., Noback C.R., Carola R. 1995. *Human Anatomy and Physiology*. 3rd ed. New York, NY: McGraw-Hill, Inc: 606-607, 872.

Westerterp-Platenga M.S., Fredrix E.W.H.M., Steffens A.B. 1994. *Food Intake and Energy Expenditure*. Boca Raton, FL: CRC Press: 111.

Wilson E.D., Fisher K.H., Fuqua M.E. 1965. *Principles of Nutrition*. 2nd ed. New York, NY: John Wiley & Sons, Inc: 299-302.

Wu K., et al. 1999. A prospective study on folate, B₁₂, and pyridoxal 5'-phosphate(B6) and breast cancer. *Cancer Epidemiology Biomarkers Prevention*. 8(3): 209-217.

Zhangabylov A.K., et al. 1986. Effect of dietotherapy incorporating koumiss and shubat on vitamin B₁₂ absorption in the intestines and on its content in the blood of chronic enterocolitis patients. *Vopr Pitani*. 2: 16-18.